

TECHNICAL SPECIFICATION

Accoya


Accoya is a Softwood that has been modified to give exceptional durability and stability, making it perfect for cladding with a painted finish. A fairly new product to the timber market Accoya has been increasing in popularity over the years for this reason. It machines well and has a nice smooth finish, combined with a good finishing product you can be assured that your cladding will remain in a fantastic condition for years to come. Please see below for the type of mouldings available.



Pinus radiata
Density: 510Kg/M3

<p>01 Contemporary Shiplap</p>	
<p>Finished size: 20mm x 143mm Cover size: 126mm</p>	
<p>02 Vertical Cladding</p>	
<p>Finished size: 20mm x 143mm Cover size: 126mm</p>	
<p>03 Rain Screen Cladding</p>	
<p>Finished size: 20mm x 143mm Cover size: 143mm</p>	
<p>04 Shadow Gap Vertical Cladding</p>	
<p>Finished size: 20mm x 143mm Cover size: 126mm</p>	

Drawing No.
12745




Details
Contemporary Shiplap
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

02

Drawing No.
12744




Details
Vertical Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

03


Drawing No.
12742



Details
Rain screen Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood

Drawing No.
12743



Details
Shadow Gap Vertical Cladding
20mm x 143mm f/size

Thorogood Timber plc
Drawn by T.A.Thorogood